



PRODUCT SAFETY DATA SHEET

1. Identification

Product identifier used on the label:	ABS Sheet
Other means of identification:	Plastic Sheet
Synonyms:	Not applicable
Recommended use of the product and	Dunnage, Building Construction
restrictions on use:	Do not use without applicable controls in place
Name, address, and telephone number	Primex Plastics Corporation
of the chemical manufacturer,	1235 North F Street
importer, or other responsible party:	Richmond, IN 47374
Emergency phone number:	800-222-5116

2. Hazard(s) identification

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on the existing health data for individual components which comprise the mixture.

i. The ingredients in this product are bound in a thermoplastic resin matrix. In accordance with GHS for the classification of the product, the hazard potential may be assessed with respect to the physic-chemical form and/or bioavailability of the individual components in the thermoplastic resin. ii. Where GHS classifications are shown below, these are based on individual components in the thermoplastic resin matrix. Under typical use conditions for the product, these hazardous components are unlikely to contribute to the workplace exposure. Please read the entire safety data sheet and/or consult an EHS professional for a complete understanding.

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS classification: Signal word:	None None
Hazard statements:	None
Precautionary statements:	This product contains no substances which, at their given concentration, are considered to be hazardous to health.
Prevention:	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Wash thoroughly after handling.
	Wear protective gloves/protective clothing/eye protection/face protection.
Response:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage:	No information available
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.





Hazards not otherwise classified:	COMBUSTIBLE DUST: If small particles are generated during further processing, handling, or by other means, combustible dust concentrations in air may form. Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. In the event that combustible dust is generated, the hazard is posed only by the size of the particle not its chemical content because all monomers, additives and pigment are totally encapsulated within the resin and cannot be released in pure form.
Additional Information:	Can burn in a fire creating dense, toxic smoke. Molten plastic can cause severe thermal burns. Fumes produced during melt processing may cause eye, skin and respiratory tract irritation. Severe over-exposure may result in nausea, headache, chills and fever. See below for additional effects.

3. Composition/ information on ingredients

Chemical component:	Common name and synonyms	CAS Number	Concentration (%)
Acrylonitrile/Butadiene/Styrene	Not applicable	9003-56-9	>=1%
Terpolymer			
Styrene	Not applicable	100-42-5	<=0.3%

This product consists primarily of high molecular weight polymers which are not expected to be hazardous. The ingredients in this product are present within the polymer matrix and are not expected to be hazardous.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure.
Eyes:	If there is contact to the eyes with molten material, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing and seek immediate medical attention. If fines enter the eye, rinse with water for 15 minutes and seek immediate medical attention if irritation develops.
Skin Contact:	Wash with soap and water. If skin has contact with molten material, place affected area under cold running water.
Ingestion:	No hazard in normal industrial use.
Most important symptoms/effects, acute and delayed:	No data available
Indication of immediate medical attention and special treatment needed, if necessary:	Gasses and fumes during thermal processing or the decomposition of this material may irritate eyes, skin or respiratory tract.





5. Fire-fighting measures

nguishing media appropriate for surrounding fire. use a solid water stream as it may scatter and spread the fire g and toxic gasses and aerosols may be generated by thermal osition. Hazardous combustion products include: carbon a, hydrocarbons, hydrogen cyanide and nitrogen oxides. shods appropriate for surrounding materials. ters should be equipped with self-contained breathing apparatus. ng dust deposits should not be allowed to accumulate on a, as these may form an explosive cloud if dispersed. eaning dust surfaces with compressed air. Collect and discard in
Alse a solid water stream as it may scatter and spread the fire g and toxic gasses and aerosols may be generated by thermal osition. Hazardous combustion products include: carbon 6, hydrocarbons, hydrogen cyanide and nitrogen oxides. Schods appropriate for surrounding materials. Seers should be equipped with self-contained breathing apparatus. Ing dust deposits should not be allowed to accumulate on 6, as these may form an explosive cloud if dispersed.
g and toxic gasses and aerosols may be generated by thermal osition. Hazardous combustion products include: carbon a, hydrocarbons, hydrogen cyanide and nitrogen oxides. shods appropriate for surrounding materials. ters should be equipped with self-contained breathing apparatus. ang dust deposits should not be allowed to accumulate on a, as these may form an explosive cloud if dispersed.
osition. Hazardous combustion products include: carbon b, hydrocarbons, hydrogen cyanide and nitrogen oxides. Thods appropriate for surrounding materials. There is should be equipped with self-contained breathing apparatus. Ing dust deposits should not be allowed to accumulate on b, as these may form an explosive cloud if dispersed.
hydrocarbons, hydrogen cyanide and nitrogen oxides. hods appropriate for surrounding materials. ters should be equipped with self-contained breathing apparatus. ng dust deposits should not be allowed to accumulate on a sthese may form an explosive cloud if dispersed.
thods appropriate for surrounding materials. The should be equipped with self-contained breathing apparatus. Ing dust deposits should not be allowed to accumulate on the should not be allowed to accumulate on the se may form an explosive cloud if dispersed.
ng dust deposits should not be allowed to accumulate on a sthese may form an explosive cloud if dispersed.
ng dust deposits should not be allowed to accumulate on , as these may form an explosive cloud if dispersed.
, as these may form an explosive cloud if dispersed.
, as these may form an explosive cloud if dispersed.
eaning dust surfaces with compressed air. Collect and discard in
trash.
tatic charge may accumulate and create a possible hazardous n when handling this material. To minimize this hazard, bonding
unding of equipment may be necessary.
tibilities:
cked up.
against flame and intense heat.
) a

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Name	US OSHA PEL (8Hr)	ACGIH	Canada - (8Hr.)	Mexico OEL Data
Styrene 100-42-5	FRL_STEL:425 mg/m ³	STEL: 40 ppm; TWA:	OEL_15 mins: 170	LMPE-PPT: 50 ppm
	100 ppm; FRL_TWA	20 pp; Notations: Not	mg/m ³ , 40 ppm	215 mg/m ³ ; LMPE-CT
	215 mg/m ^{3,} 50 ppm	classified as a	OEL_15 mins: 170	100 ppm, 425 mg/m ³
	TL_PEL:	human carcinogen	8 hr.: 85 mg/m ³	CONN: SKIN
		BEI; Crit Eff: CNS	20 ppm	
		impairment, peripheral neuropathy		
		upper respiratory		
		tract irritation		

Appropriate engineering controls:

No engineering controls are likely to be required to maintain operator comfort under normal conditions of use.

Individual protection measures, such as personal protective equipment:





Respiratory Protection:	Effective Dust Mask
Eye Protection: Skin Protection:	Safety glasses with side shields are recommended Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Other protective equipment:	Gloves may be required when processing sheet due to sharp edges and when plastic is in the molten state.
General hygiene conditions:	Wash hands thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection.

9. Physical and chemical properties

Appearance	(physical state,	color, etc.):	
Annoaran	co (physical sta	stal.	

Appearance (physical state, color, etc.).			
Appearance (physical state):	Solid ABS Sheet		
Color:	No data available		
Odor:	None		
Odor threshold:	No data available		
pH:	No data available		
Melting point / freezing point:	No data available		
Initial boiling point and boiling range:	No data available		
Flash point:	No data available		
Evaporation Rate:	Not determined		
Flammability (solid, gas):	No data available		
Upper/lower flammability or explosive limits:			
Upper flammability or explosive	No data available		
limits:			
Lower flammability or explosive	No data available		
limits:			
Vapor pressure:	No data available		
Vapor density:	No data available		
Relative density:	1		
Solubility(ies):	Not determined		
Partition coefficient: n-octanol/water:	No data available		
Auto-ignition temperature:	No data available		
Decomposition temperature:	No data available		
Viscosity:	No data available		

10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	None known
Conditions to avoid (e.g., static	None known.
discharge, shock, or vibration):	
Incompatible materials:	None Known





Hazardous decomposition products: Irritating or toxic gasses may occur by fire

characteristics:

11. Toxicological information	
Information on the likely routes of	No data available
exposure (inhalation, ingestion, skin and eye contact):	
Symptoms related to the physical, chemical and toxicological	See data in this section

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Rout	te of Exposure:
Inhalation Irritation:	No data available
Inhalation Toxicity:	No data available
Skin Contact:	No information regarding skin irritation.
Skin Absorption:	No data available
Eye Contact:	No information regarding eye irritation.
Ingestion Irritation:	No data available
Ingestion Toxicity:	No data available
Long-Term (Chronic) Health Effects:	
Carcinogenicity:	No data available
Reproductive and Developmental	No data available to indicate product or any components present at
Toxicity:	greater than 0.1% may cause birth defects.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

Numerical measures of toxicity (such as acute toxicity estimates).

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation:
No data available			

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.

Chemical name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
Styrene	Not regulated	Group 2B	Not tested	

12. Ecological information

Ecotoxicity (aquatic and terrestrial,	No data available
where available):	





Ecotoxicity Data:

	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish		
No data available			0.1			
Persistence and degradability:	No d	ata available				
Bioaccumulative potential:		ata available				
Mobility in soil:	No d	ata available				
Other adverse effects (such as	No d	ata available				
hazardous to the ozone layer):						
13. Disposal considerations						
Description of waste residues a	nd information of	on their safe handling	and methods of dispos	sal, including the		
disposal of any contaminated pa	ackaging:					
Waste treatment methods:	•		ntainer in accordance v			
	local,	/regional/national/inte	ernational regulations.	Recycle if possible.		
14. Transport information						
International carriage of dangerou	us goods by rook	(DOT) rail or inland	watorways			
UN number:	NA		waterways.			
UN proper shipping name:		& IATA: NOT RESTRICT	FD			
Transport hazard class(es):		NA				
Packing group, if applicable:	NA					
nternational carriage of dangerou	us goods by sea	(IMDG/IMO):				
UN number:		applicable				
		• •				
	Not a	applicable				
UN proper shipping name: Transport hazard class(es):	Not a NA	applicable				
UN proper shipping name:		applicable				
UN proper shipping name: Transport hazard class(es):	NA NA					
UN proper shipping name: Transport hazard class(es): Packing group, if applicable:	NA NA us goods by air (
UN proper shipping name: Transport hazard class(es): Packing group, if applicable: International carriage of dangerou	NA NA us goods by air (Not a	IATA):				
UN proper shipping name: Transport hazard class(es): Packing group, if applicable: nternational carriage of dangerou UN number:	NA NA us goods by air (Not a	IATA): applicable				
UN proper shipping name: Transport hazard class(es): Packing group, if applicable: International carriage of dangerou UN number: UN proper shipping name:	NA NA us goods by air (Not a No da	IATA): applicable				
UN proper shipping name: Transport hazard class(es): Packing group, if applicable: International carriage of dangerou UN number: UN proper shipping name: Transport hazard class(es):	NA NA us goods by air (Not a No di NA NA	IATA): applicable				
UN proper shipping name: Transport hazard class(es): Packing group, if applicable: International carriage of dangerou UN number: UN proper shipping name: Transport hazard class(es): Packing group, if applicable: Environmental hazards (e.g., Mag	NA NA us goods by air (Not a No di NA NA arine No Annex II No di	IATA): applicable				
UN proper shipping name: Transport hazard class(es): Packing group, if applicable: nternational carriage of dangerou UN number: UN proper shipping name: Transport hazard class(es): Packing group, if applicable: Environmental hazards (e.g., Ma pollutant (Yes/No)): Transport in bulk (according to	NA NA us goods by air (Not a NA NA arine No Annex II No da Code):	IATA): applicable ata available				
UN proper shipping name: Transport hazard class(es): Packing group, if applicable: nternational carriage of dangerou UN number: UN proper shipping name: Transport hazard class(es): Packing group, if applicable: Environmental hazards (e.g., Ma pollutant (Yes/No)): Transport in bulk (according to of MARPOL 73/78 and the IBC C	NA NA us goods by air (No da NA NA arine No Annex II No da Code): er needs No da	IATA): applicable ata available ata available				
UN proper shipping name: Transport hazard class(es): Packing group, if applicable: nternational carriage of dangerou UN number: UN proper shipping name: Transport hazard class(es): Packing group, if applicable: Environmental hazards (e.g., Ma pollutant (Yes/No)): Transport in bulk (according to of MARPOL 73/78 and the IBC C Special precautions which a use	NA NA us goods by air (Not a No da NA NA arine No Annex II No da Code): er needs No da	IATA): applicable ata available ata available				





their premises:

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

International Inventories:

TSCA (USA)	All Listed on TSCA
DSL (Canada)	All Listed on DSL

Chemical component	CAS #	EINECS (Europe)
STYRENE, POLYMERS	9003-53-6	No

Restriction of Hazardous Substances Directive:

Chemical component	CAS #
No known ROHS substances contained in this product	

REACH - Substances of Very High Concern (Based on List dated January 12, 2017):

Chemical component	CAS #
No known SVHC substances contained in this product	

Regulated components:

Chemical component	CAS #	CERCLA	Canada- WHMIS Classification	California Prop 65	SARA EHS	SARA 313
Styrene	100-42-5	Yes	D-2-A	Yes	No	Yes
Acrylonitrile	107-13-1	No	No	Yes	No	No

SARA Title III Section 311/312 Category Hazards:

Immediate (acute)	Delayed (chronic)	Fire Hazard	Pressure Release	Reactive
No	No	No	No	No

16. Other information, including date of preparation or last revision

Revision Date:	03-16-2017
Revision Number:	11

Disclaimer: The information in this SDS pertains only to the product as shipped. Information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. THIS SAFETY DATA SHEET IS PROVIDED BY Primex Plastics Corporation. PURSUANT TO OSHA REGULATIONS, 29 CFR 1910.1200. THE INFORMATION PROVIDED IN THE SHEET IS TRUE AND ACCURATE AS THE DATE INDICATED, TO THE





BEST OF OUR KNOWLEDGE. THE INFORMATION IS NOT INTENDED TO COVER EVERY CONCEIVABLE USE OR HANDLING OF THE MATERIAL, AND ACTUAL CONDITIONS OF USE AND HANDLING MAY REQUIRE CONSIDERATIONS OR INFORMATION OTHER THAN, OR IN ADDITION TO, THAT WHICH IS CONTAINED IN THIS SHEET. THE INFORMATION CONTAINED HEREWITH ON THIS MATERIAL WITHOUTSHOULD NOT BE THE ONLY REFERENCE, NOR SHALL NOT BE CONSTRUED AS, A REPRESENTATION OR WARRANTY OF ANY KIND WHATSOEVER, IN CONNECTION WITH THE USE OF DISTRIBUTION OF THE MATERIAL OR THE MATERIAL ITSELF.